

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 05-040242

(43)Date of publication of application : 19.02.1993

(51)Int.Cl.

G02B 27/22
// B65D 85/57

(21)Application number : 03-195559

(71)Applicant : TANAKA HIROJI

(22)Date of filing : 05.08.1991


(72)Inventor : TANAKA HIROJI

(54) CASE FOR OPTICAL DISK WITH STEREOSCOPIC IMAGE OBSERVATION LENS

(57)Abstract:

PURPOSE: To provide the case for optical disk having the two ways of enjoying such as the reproduction of music or images and stereoscopic image observation.

CONSTITUTION: For this case for optical disk with stereoscopic image observation lens, a first plate-shaped member 1 equipped with a housing part 11 for the optical disk, second plate-shaped member 2 equipped with a pair of lens 21 and 22 at an eye interval and third plate-shaped member 3 formed between the first and second plate-shaped members are linked through creases 41 and 42, and a crease 24 is provided at the middle of the second plate-shaped member. This case for optical disk can be utilized as a stereoscopic image observation tool by attaching or printing a stereoscopic photograph to the third plate-shaped member 3.



LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or

application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's
decision of rejection]

[Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]

(19)日本国特許庁(JP)

(12) 公開特許公報(A)

(11)特許出願公開番号

特開平5-40242

(43)公開日 平成5年(1993)2月19日

(51)Int.Cl.⁵

識別記号

庁内整理番号

FI

技術表示箇所

G 0 2 B 27/22

9120-2K

// B 6 5 D 85/57

Z 7445-3E

審査請求 未請求 請求項の数2(全5頁)

(21)出願番号 特願平3-195559

(22)出願日 平成3年(1991)8月5日

(71)出願人 591026746

田中 博治

福岡県福岡市博多区中呉服町3-28 日商

博多ビル301

(72)発明者 田中 博治

福岡県福岡市博多区中呉服町3-28 日商

博多ビル301


(74)代理人 弁理士 小堀 益

(54)【発明の名称】 立体像観察レンズ付き光ディスク用ケース

(57)【要約】

【目的】 音楽や映像の再生と立体像観察の異なった二つの楽しみかたを持たせた光ディスク用ケースを提供すること。

【構成】 光ディスクの収納部11を有する第1の板状部材1と、眼間隔をおいて一対のレンズ21、22を設けた第2の板状部材2と、第1及び第2の板状部材の間に形成した第3の板状部材3とを折り目41、42を介して連結し、第2の板状部材2の中間に折り目24を設けてなる立体像観察レンズ付き光ディスク用ケースである。第3の板状部材3に立体写真を添付または印刷して、光ディスク用ケースを立体像観察用具として利用することができる。



【特許請求の範囲】

【請求項1】 光ディスクの収納部を有する第1の板状部材と、眼間隔を有する第2の板状部材と、第1及び第2の板状部材の間に形成した第3の板状部材とからなり、第1の板状部材を第3の板状部材に折り重ね、その上に第2の板状部材を折り重ねることが可能な折り目を連設部に設け、さらに第2の板状部材の中間に折り目を設けてなる立体像観察レンズ付き光ディスク用ケース。

【請求項2】 第3の板状部材に立体写真を添付または印刷した請求項1記載の立体像観察レンズ付き光ディスク用ケース。

【発明の詳細な説明】

【0001】

【産業上の利用分野】本発明は、立体像観察機能を付加した光ディスク用ケースに関する。

【0002】

【従来の技術】従来から、スチール写真を立体像として見ることのできる立体像覗き装置として種々の装置が提案されており、本出願人も特開平2-275921号として組立式の立体像視可能シートを提案している。この立体像視可能シートは、シート的一方の端部にレンズ部を設け、他方の端部に一對の立体画像を並置した画像部を設け、同画像部の各画像の下方に焦点・輻輳角調整用マークを設け、前記レンズ部と画像部とを前記レンズの焦点距離を介して立ち上がり可能に形成したものである。この立体像視可能シートによれば、立体像の観察を手軽に行えるということのほか、葉書類やカード類として利用したり、余白部に印刷してパンフレット、カタログ等に利用したり、また、テレホンカード等のカード類、名刺、写真、プロマイド、絵葉書等のケースとして利用したりすることができるという利点がある。

【0003】

【発明が解決しようとする課題】ところで、上記立体像視可能シートは、一枚のシートの両端部にレンズ部と画像部を設け、両端部を折り畳み、あるいは、展開して使用するものであるため、上記の各種用途のうち、ケースとして利用する場合、カード類、名刺、写真、プロマイド、絵葉書等のような薄い物を折り畳んだシートの間に挟むかたちでしか利用することができない。

【0004】一方、近年において、音楽や映像のメディアとして光ディスクが広く使用されている。この光ディスクは、流通過程においては専用のケースに収納されており、また、使用者の手元においても使用していないときはケースに収納しているのが通常である。このケースは、光ディスクの保護を兼ねた収納部を有し、収納されている光ディスクの内容に関する事柄がケースに直接印刷され、または印刷されたパンフレット類と一緒に収納された比較的厚さの厚いケースである。上記の立体像視可能シートをこのような光ディスク用ケースとして利用

することはできない。

【0005】本発明の目的は、立体像観察機能を光ディスク用ケースに付加して、音楽や映像の再生と立体像観察の異なった二つの楽しみかたを持たせた光ディスク用ケースを提供することにある。

【0006】

【課題を解決するための手段】本発明は、光ディスクの収納部を有する第1の板状部材と、眼間隔を有する第2の板状部材と、第1及び第2の板状部材の間に形成した第3の板状部材とからなり、第1の板状部材を第3の板状部材に折り重ね、その上に第2の板状部材を折り重ねることが可能な折り目を連設部に設け、さらに第2の板状部材の中間に折り目を設けてなる立体像観察レンズ付き光ディスク用ケースである。

【0007】前記第3の板状部材には立体写真を添付または印刷することができる。

【0008】

【作用】本発明においては、光ディスク用ケースの部材に立体像観察レンズを設けているので、このレンズ部に対向する部材に立体写真を添付または印刷することにより、光ディスク用ケースを立体像観察用具として用いることができる。

【0009】

【実施例】図1及び図2は本発明をコンパクトディスク（商品名）といわれる光ディスクのケースに適用した第1の実施例を示す図であり、図1はケースを展開した状態で示す斜視図、図2は立体像観察時の状態を示す斜視図である。

【0010】本実施例の光ディスク用ケース（以下、たんにケースという）5は、光ディスクD（図1に一点鎖線で示す）の収納部を有する第1の板状部材1と、一對のレンズを設けた第2の板状部材2と、第1、第2の板状部材1、2の間に形成した第3の板状部材3とからなる。各板状部材1、2、3は折り目41、42を介して繋がっている。

【0011】第1の板状部材1は、合成樹脂で成形したディスク収納部11を厚紙12に貼付したものであり、このディスク収納部11自体は従来の光ディスク用ケースのディスク収納部と同様のものである。

【0012】第2の板状部材2は厚紙製で、第1の板状部材1を第3の板状部材3に重ねて折り畳み、その上に第2の板状部材2を折り畳んで保護用の一方の外板とするものである。この第2の板状部材2の端部に一對のレンズ21、22からなるレンズ部23を設け、このレンズ部23を含む部分が折れ曲がるように折り目24を中間に設けている。一對のレンズ21、22は、図2に示すように折り目42と24で第2の板状部材2を折り曲げてレンズ部23と第3の板状部材3を対向させた状態で立体写真を覗き見るためのレンズである。このレンズ21、22はガラス製でもよいが、軽くて破損し難く、

3

かつ安価であるプラスチック製が好適である。

【0013】第3の板状部材3は厚紙製で、第1の板状部材1を折り畳んだときに光ディスクDを保護するための他方の外板になるものである。この板状部材3に、折り目41側に挿入口31を有するポケット32を形成し、挿入口31部分に立体写真を印刷した画像集33を係止するようにしている。

【0014】このケース5を光ディスクDのケースとして使用するとき、ディスク収納部11に光ディスクDを収納し、図3に示すように折り畳んでケースとして使用する。

【0015】ケース5を立体像観察用具として使用するとき、図2に示すように、折り目42と24で第2の板状部材2を折り曲げてレンズ部23と第3の板状部材3を対向させ、第3の板状部材3のポケット32の挿入口31部分に画像集33を係止し、画像集33をめくりながら立体写真(図中、A、Aで示している)を観察する。

【0016】なお、第1の板状部材1の厚紙12の外側の面、第2の板状部材2のレンズ部23以外の余白部及び第3の板状部材の両面には、光ディスクDの内容その他に関する事柄を適宜印刷することができる。

【0017】図4及び図5は本発明の第2の実施例を示す図であり、図4は光ディスク用ケースの展開図、図5は立体像観察時の状態を示す斜視図である。

【0018】本実施例のケース10は、図1に示したケース5と同様に、第1の板状部材6と第2の板状部材7と第3の板状部材8を折り目91、92を介して連設したものである。

【0019】第1の板状部材6は、合成樹脂で成形したディスク収納部61を厚紙62に貼付したもので、厚紙62の外側の面に立体写真を印刷している。第2の板状部材7は厚紙製で、一対のレンズ71、72からなるレンズ部73と折り目74を設けている。第3の板状部材8は厚紙製で、両面に立体写真を印刷している(図4では内側の二対の写真81、82を示している)。

【0020】このケース10を立体像観察用具として使用するときの使用態様は図5の(a)～(c)に示すように三通りある。図5の(a)は第3の板状部材8の内側の面の立体写真A、AまたはB、Bを観察するときの状態を示し、同図の(b)は第1の板状部材6の厚紙62の外側の面の立体写真C、CまたはD、Dを観察するときの状態を示し、同図の(c)は第2の板状部材7のレンズ部73を逆向きに折り曲げて第3の板状部材8の

4

外側の面の立体写真E、EまたはF、Fを観察するときの状態を示す。

【0021】なお、各板状部材の余白部に光ディスクの内容その他に関する事柄を適宜印刷することができるのは、第1の実施例の場合と同様である。

【0022】

【発明の効果】本発明の立体像観察レンズ付き光ディスク用ケースは、ケースを構成する一部材に立体像観察用のレンズを設け、他の部材に立体写真を貼付または印刷するようにしたので、このケースを光ディスクのケースとして用いることのほかに、立体像観察用具として利用することができる。このため、光ディスクによる音楽や映像の再生による楽しみのほかに、立体像の観賞を楽しむことができる。とくに、光ディスクの内容に関連した立体写真を貼付または印刷するようにすれば、光ディスクによる音楽や映像の再生をより楽しくすることができる。

【図面の簡単な説明】

【図1】本発明の第1の実施例におけるケースを展開した状態で示す斜視図である。

【図2】図1のケースを用いた立体像観察時の状態を示す斜視図である。

【図3】図1のケースを折り畳んだ状態を示す斜視図である。


【図4】本発明の第2の実施例におけるケースを展開した状態で示す斜視図である。

【図5】図4のケースを用いた立体像観察時の状態を示す斜視図である。


【符号の説明】

- 1 第1の板状部材
- 2 第2の板状部材
- 3 第3の板状部材
- 5, 10 ケース
- 11, 61 ディスク収納部
- 12, 62 厚紙
- 21, 22, 71, 72 レンズ
- 23, 73 レンズ部
- 24, 74 折り目
- 31 挿入口
- 32 ポケット
- 33 画像集
- 41, 42, 91, 92 折り目
- 81, 82 写真


【図1】




【図2】




【図3】



【図4】



【図5】



* NOTICES *

JPO and NCIPi are not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

[0001]

[Industrial Application] This invention relates to the case for optical disks which added the stereoscopic model observation function.

[0002]

[Description of the Prior Art] As stereoscopic model peep equipment which can see a still photograph as a stereoscopic model, various equipments are proposed from the former and these people have also proposed the solid image vision possible assembly-type sheet as JP,2-275921,A from it. This solid image vision possible sheet prepares the lens section in one edge of a sheet, prepares the image section which juxtaposed the solid image of a pair in the other-end section, prepares a focus and the mark for angle-of-convergence adjustment under each image of this image section, starts through the focal distance of said lens, and forms said lens section and image section possible. According to this solid image vision possible sheet, it uses as a leaf document or cards besides the thing that a stereoscopic model is easily observable, or it prints in the margin section, and is a pamphlet, In using for a catalog etc. ****, they are cards, such as a telephone card, A card and photograph, Star's picture, There is an advantage that it can use as a case of a picture postcard etc.

[0003]

[Problem(s) to be Solved by the Invention] By the way, the above-mentioned solid image vision possible sheets are cards when using as a case among the various above-mentioned applications, since it is used preparing the lens section and the image section in the both ends of the sheet of one sheet, and folding up both ends, or developing, Card, Photograph, Star's picture, It can use only in the form inserted between the sheets which folded up thin objects, such as a picture postcard.

[0004] On the other hand, in recent years, the optical disk is widely used as media of music or an image. While this optical disk is contained by the case of dedication in the circulation process and it is not used in a user's hand, usually it has contained in the case. This case has the stowage which served as protection of an optical disk, and the matter about the contents of the optical disk contained is directly printed by the case, or it is a case where the printed pamphlets were contained together and where thickness is comparatively thick. The above-mentioned solid image vision possible sheet cannot be used as such a case for optical disks.

[0005] The purpose of this invention is to add a stereoscopic model observation function to the case for optical disks, and offer the case for optical disks which gave the two ways of enjoying oneself from which playback of music or an image and stereoscopic model observation differed.

[0006]

[Means for Solving the Problem] The 1st plate-like part material in which this invention has the stowage of an optical disk, and the 2nd plate-like part material which set eye spacing and prepared the lens of a pair, It consists of the 3rd plate-like part material formed between the 1st and 2nd plate-like part material. It is the case for optical disks with a stereoscopic model observation lens where prepare the fold which the 1st plate-like part material is turned up to the 3rd plate-like part material, and can turn up

the 2nd plate-like part material on it in the successive formation section, and it comes to prepare a fold in the middle of the 2nd plate-like part material further.

[0007] A stereograph can be attached or printed to said 3rd plate-like part material.

[0008]

[Function] In this invention, since the stereoscopic model observation lens is prepared in the member of the case for optical disks, the case for optical disks can be used as stereoscopic model observation tools by attaching or printing a stereograph to the member which counters this lens section.

[0009]

[Example] Drawing 1 and drawing 2 are drawings showing the 1st example which applied this invention to the case of the optical disk called compact disk (trade name), and the perspective view shown after drawing 1 has developed the case, and drawing 2 are the perspective views showing the condition at the time of stereoscopic model observation.

[0010] The case 5 for optical disks of this example (only henceforth a case) consists of the 1st plate-like part material 1 which has the stowage of optical disk D (an alternate long and short dash line shows to drawing 1), the 2nd plate-like part material 2 which prepared the lens of a pair, and the 3rd plate-like part material 3 formed between the 1st and 2nd plate-like part material 1 and 2. Each plate-like part material 1, 2, and 3 is connected through folds 41 and 42.

[0011] The 1st plate-like part material 1 sticks the disk stowage 11 fabricated with synthetic resin on pasteboard 12, and this disk stowage 11 very thing of it is the same as that of the disk stowage of the conventional case for optical disks.

[0012] It is a product made of pasteboard, and the 2nd plate-like part material 2 folds up the 1st plate-like part material 1 in piles to the 3rd plate-like part material 3, on it, it folds up the 2nd plate-like part material 2, and is taken as one shell plate for protection. The lens section 23 which consists of lenses 21 and 22 of a pair was formed in the edge of this 2nd plate-like part material 2, and the fold 24 is provided in the middle so that the part containing this lens section 23 may bend. The lenses 21 and 22 of a pair are lenses for trying to look into a stereograph in the condition of having bent the 2nd plate-like part material 2 with folds 42 and 24, and having made the lens section 23 and the 3rd plate-like part material 3 countering as shown in drawing 2. Although glass is sufficient as these lenses 21 and 22, it is light, and it is hard to damage and the cheap product made from plastics is suitable.

[0013] The 3rd plate-like part material 3 is a product made of pasteboard, and when the 1st plate-like part material 1 is folded up, it becomes the shell plate of another side for protecting optical disk D. He forms in a fold 41 side the pocket 32 which has the insertion opening 31 at this plate-like part material 3, and is trying to stop the collection 33 of images which printed the stereograph into insertion opening 31 part.

[0014] When using this case 5 as a case of optical disk D, optical disk D is contained to the disk stowage 11, and as shown in drawing 3, it folds up, and is used as a case.

[0015] When using a case 5 as stereoscopic model observation tools, a stereograph (A and A show among drawing) is observed bending the 2nd plate-like part material 2 with folds 42 and 24, making the lens section 23 and the 3rd plate-like part material 3 counter, stopping the collection 33 of images into insertion opening 31 part of the pocket 32 of the 3rd plate-like part material 3, and turning over the collection 33 of images, as shown in drawing 2.

[0016] In addition, in both sides of the margin sections other than lens section 23 of the field of the outside of the pasteboard 12 of the 1st plate-like part material 1, and the 2nd plate-like part material 2, and the 3rd plate-like part material, the matter about the contents and others of optical disk D can be printed suitably.

[0017] Drawing 4 and drawing 5 are drawings showing the 2nd example of this invention, and it is the perspective view in which drawing 4 shows the development view of the case for optical disks, and drawing 5 shows the condition at the time of stereoscopic model observation.

[0018] The case 10 of this example forms successively the 1st plate-like part material 6, the 2nd plate-like part material 7, and the 3rd plate-like part material 8 through folds 91 and 92 like the case 5 shown in drawing 1.

[0019] The 1st plate-like part material 6 is what stuck the disk stowage 61 fabricated with synthetic resin on pasteboard 62, and is printing the stereograph to the field of the outside of pasteboard 62. The 2nd plate-like part material 7 is a product made of pasteboard, and has prepared the lens section 73 and the fold 74 which consist of lenses 71 and 72 of a pair. The 3rd plate-like part material 8 is a product made of pasteboard, and is printing the stereograph to both sides (drawing 4 shows two pairs of inside photographs 81 and 82).

[0020] There are three kinds of use modes when using this case 10 as stereoscopic model observation tools, as shown in (a) - (c) of drawing 5 . (a) of drawing 5 shows the condition when observing the stereographs A and A of the field inside the 3rd plate-like part material 8, or B and B. (b) of this drawing shows the condition when observing the stereographs C and C of the field of the outside of the pasteboard 62 of the 1st plate-like part material 6, or D and D. (c) of this drawing shows the condition when bending the lens section 73 of the 2nd plate-like part material 7 to the reverse sense, and observing the stereographs E and E of the field of the outside of the 3rd plate-like part material 8, or F and F.

[0021] In addition, it is the same as that of the case of the 1st example that the matter about the contents and others of an optical disk can be suitably printed in the margin section of each plate-like part material.

[0022]

[Effect of the Invention] the part from which the case for optical disks with a stereoscopic model observation lens of this invention constitutes a case -- since the lens for stereoscopic model observation is prepared in material and the stereograph was stuck or printed to other members, this case is used as a case of an optical disk -- it can be remarkably alike and can use as stereoscopic model observation tools. For this reason, the admiration of a stereoscopic model other than the pleasure by playback of the music by the optical disk or an image can be enjoyed. If the stereograph relevant to the contents of the optical disk is stuck or printed especially, playback of the music by the optical disk or an image can be made more pleasant.

[Translation done.]